

CLAIMS

What is claimed is:

1. An install system with reboot suppression used in conjunction with a computer system, the install system comprising:

means for loading the install system to a temporary directory;

means for setting a path for the install system as the temporary directory; and

means for executing the install system from the temporary directory.

2. The system of claim 1, wherein the loading means further comprises:

means for loading the install system from a non-volatile memory source.

3. The system of claim 1, wherein the loading means further comprises:

means for loading the install system from a network source.

4. The system of claim 1, wherein the loading means further comprises:

means for loading the install system to a default directory.

5. The system of claim 4, wherein the default directory loading means uses

a default setting to load the install system to the default directory.

1 6. A method for installing an install system on a computer system, the
2 method comprising:
3 loading the install system to a temporary directory;
4 setting a path for the install system as the temporary directory; and
5 executing the install system from the temporary directory without rebooting an
6 operating system.

1 7. The method of claim 6, wherein the loading further comprises:
2 loading the install system from a non-volatile memory source.

1 8. The method of claim 6, wherein the loading further comprises:
2 loading the install system from a network source.

1 9. The method of claim 6, wherein the loading further comprises:
2 loading the install system to a default directory.

1 10. The method of claim 9, wherein the loading the install system in the
2 default directory further comprises:
3 using default setting to load the install system.

11. A computer readable medium having an install system with reboot suppression used in conjunction with a computer system, comprising:

- logic for loading the install system to a temporary directory;
- logic for setting a path for the install system as the temporary directory; and
- logic for executing the install system from the temporary directory.

12. The computer readable medium of claim 11, wherein the install system is further comprises:

- logic for loading the install system from a non-volatile memory source.

13. The computer readable medium of claim 11, wherein the install system is further comprises:

- logic for loading the install system from a network source.

14. The computer readable medium of claim 11, wherein the install system is further comprises:

- logic for loading the install system to a default directory.

15. The computer readable medium of claim 14, wherein the install system is further comprises:

- logic for using default setting to load the install system to the default directory.

1 16. An install system with reboot suppression used in conjunction with a
2 computer system, the install system apparatus comprising:
3 load mechanism that loads the install system to a temporary directory;
4 directory mechanism that sets a path for the install system to the temporary
5 directory; and
6 executing mechanism that executes the install system from the temporary
7 directory.

1 17. The system of claim 16, wherein the load mechanism further comprises:
2 logic configured to load the install system from a non-volatile memory source.

1 18. The system of claim 16, wherein the load mechanism further comprises:
2 logic configured to load the install system from a network source.

1 19. The system of claim 16, wherein the load mechanism further comprises:
2 logic configured to load the install system to a default directory.

1 20. The system of claim 19, wherein the logic configured to load the install
2 system to the default directory uses default setting to load the install system to the
3 default directory.

1 21. A method for installing an install system on a computer system having
2 an operating system, the method comprising:
3 loading the install system to a temporary directory without registering the install
4 system with the operating system; and
5 executing the install system from the temporary directory without restarting the
6 operating system.

1 22. The method of claim 21, further comprising:
2 loading the install system to a default directory; and
3 registering the install system with the operating system.

1 23. The method of claim 21, wherein the executing further comprises:
2 executing the install system to install a software program on the computer
3 system.

1 24. The method of claim 23, wherein the installing further comprises:
2 installing the software program from a network source.

1 25. The method of claim 23, wherein the installing further comprises:
2 installing the software program from a non-volatile memory source.